



Lecture 4 Exploiting Shellcodes

Computer and Network Security
October 21, 2019
Computer Science and Engineering Department

Notes



Bugs and Vulnerabilities

- ▶ bugs: misbehaving software
- ▶ vulnerability: misbehaviour that can benefit an attacker
- ▶ exploiting: turning a vulnerability into an advantage for the attacker
- ▶ auditing: analyzing an application to determine its vulnerabilities

Notes



Why Bugs and Vulnerabilities?

- ▶ developer carelessness or ignorance
- ▶ poor development process
- ▶ poor design
- ▶ platform (hardware, OS, libraries) issues
- ▶ lack of resources

Notes



Preventing Vulnerabilities

- ▶ development process: defensive programming, code review, code audit
- ▶ design with security in mind
- ▶ audit systems, penetration testing
- ▶ security-centered training
- ▶ invest resources

Notes

- ▶ eavesdropping, impersonating
- ▶ password breaking
- ▶ denial of service
- ▶ exploiting

Notes

- ▶ exploiting vulnerabilities
- ▶ focus is controlling the system (root account)
- ▶ an intermediary step is gaining shell access to user
- ▶ privilege escalation

Notes

- ▶ money
- ▶ fame
- ▶ challenge
- ▶ fun
- ▶ political, ideological
- ▶ find security holes and fix them (ethical hacking)

Notes

- ▶ monitoring
- ▶ update software
- ▶ stay connected
- ▶ in-depth security
- ▶ honeypots
- ▶ state of mind: "it will happen"

Notes

- ▶ local exploit
- ▶ remote exploit
- ▶ user space exploit
- ▶ kernel space exploit

Notes

- ▶ find vulnerability in process runtime: memory, use of resources
- ▶ alter normal execution pattern
- ▶ aim for: getting a shell, getting access to resources, information leak, crash application, denial of service
- ▶ usually tamper with process memory and bad ways of memory management
- ▶ special focus on string management functions, input/output, pointers

Notes

- ▶ preparatory phase
- ▶ shellcode
- ▶ triggering phase

Notes

- ▶ buffer overflow (on stack or heap)
- ▶ integer overflow
- ▶ race conditions
- ▶ string formatting

Notes

- ▶ write beyond buffer limits
- ▶ stack-based overflow: overwrite variable, return address or function pointer
- ▶ heap overflow: corrupt dynamically allocated memory

Notes

- ▶ sequence of machine level instructions
- ▶ stored in memory at a convenient address
- ▶ executed when requested by jumping at the start address

Notes

- ▶ typically the goal is to create a shell (if possible, with root privilege)
- ▶ may be any useful binary code execution, such as starting a client socket, or reading or writing a file, or sending a file over the network

Notes

- ▶ <http://www.shell-storm.org/shellcode/>
- ▶ hexadecimal form for exec-ing a shell process
- ▶ also dubbed payload

Notes

- ▶ spawn shell using `execve` syscall
- ▶ use `setresuid` to restore root privileges (for `setuid`-enabled programs)
- ▶ port-binding shellcode: create listener socket, accept connections, duplicate file descriptors and spawn shell
- ▶ connect-back shellcode: create client socket and connect to remote listener socket (accessible and controlled by attacker), duplicate file descriptors and spawn shell

- ▶ may be done in C but it is recommended to do it in assembly
 - ▶ allows shorter shellcodes
 - ▶ complete control over the end result (binary machine code)
- ▶ need to use syscalls for `execve`, `setresuid`, `dup2` and others
- ▶ need to place the `/bin/sh` string in memory (or other strings) and pass it as argument to syscall

- ▶ `eax` stores the syscall number
- ▶ `ebx`, `ecx`, `edx`, `esi`, `edi` store syscall arguments
- ▶ use `int 0x80` to issue syscall
- ▶ syscall numbers in `/usr/include/asm/unistd_32.h`

```

setresuid(0, 0, 0) & exit(1)
1 # Fill eax, ebx, ecx and edx with zeros.
2 xor %eax, %eax
3 xor %ebx, %ebx
4 xor %ecx, %ecx
5 xor %edx, %edx
6 mov $164, %eax      # Put 164 (setresuid syscall no) in eax.
7 int $0x80          # Issue syscall: setresuid(0, 0, 0).

1 xor %eax, %eax      # Fill eax with zeros.
2 xor %ebx, %ebx      # Fill ebx with zeros.
3 mov $1, %bl         # Put 1 (EXIT_FAILURE) in ebx (only one
byte).
4 mov $252, %eax     # Put 252 (exit_group syscall no) in eax.
5 int $0x80          # Issue syscall.
    
```

```

Assembly Wrapper
1 .globl main
2
3 main:
4     # Prepare registers an syscall arguments.
5     # int $0x80 # Do syscall.
    
```

```

Assembly Shellcode Sample
1 .globl main
2
3 main:
4     xor %eax, %eax # Fill eax with zeros.
5     xor %ebx, %ebx # Fill ebx with zeros.
6     mov $1, %bl   # Put 1 (EXIT_FAILURE) in ebx (only one
byte).
7     mov $252, %eax # Put exit_group syscall no in eax.
8     int $0x80     # Issue syscall.
    
```

Makefile

```
1 ASFLAGS = -march=i386 --32
2 CFLAGS = -Wall -m32
3 LDFLAGS = -m32
4
5 .PHONY: all clean
6
7 all: shellcode-wrapper-exit
8
9 shellcode-wrapper-exit: shellcode-wrapper-exit.o
10
11 shellcode-wrapper-exit.o: shellcode-wrapper-exit.s
12
13 clean:
14     -rm -f shellcode-wrapper-exit shellcode-wrapper-exit.o *~
```

Notes

Extracting Hex Data

- ▶ actual shellcode is the machine code instruction
- ▶ use `objdump` on the object file and process the result
- ▶ use `echo -en` above to print in binary form

Using `objdump` to extract hex data

```
for i in $(objdump -d <module-name>.o | tr '\t' ' ' | tr ' ' '\n'
| egrep '[0-9a-f]2$') ; do echo -n "\x$i" ; done
```

- ▶ the reverse is achievable (getting the assembly mnemonics from hex)

Using `objdump` to extract hex data

```
echo -en "hexadecimal data" > shellcode
objdump -b binary -m i386 -D shellcode
```

Notes

Shellcode Constraints

- ▶ due to input data filtering
- ▶ small code
- ▶ null-free
- ▶ position-independent
- ▶ alphanumeric (not always)
- ▶ more on the next lecture

Notes

Null-free

- ▶ required when dealing with null-terminated strings
- ▶ BAD: `mov $1, %eax`
 - ▶ uses null bytes
 - ▶ `\xb8\x01\x00\x00\x00`
- ▶ GOOD: `xor %eax, %eax + inc %eax`
 - ▶ doesn't use null bytes
 - ▶ `\x31\xc0\x40`
- ▶ BAD: `mov $100, %eax`
 - ▶ uses null bytes
 - ▶ `\xb8\x64\x00\x00\x00`
- ▶ GOOD: `xor %eax, %eax + mov $100, %al`
 - ▶ doesn't use null bytes
 - ▶ `\x31\xc0\xb0\x64`

Notes

- ▶ place shellcode in local buffer on stack
- ▶ rewrite return address to point to beginning of the buffer on the stack
- ▶ may need NOPs if exact address is not known
- ▶ unable to be done if stack is non-executable

Notes

- ▶ initialize an environment variable with the shellcode string
- ▶ environment variable is placed on the stack of main
- ▶ may be large enough to store large shellcodes
- ▶ unable to be done if stack is non-executable
- ▶ more on the next lecture

Notes

- ▶ place the shellcode on the heap
- ▶ requires a heap buffer overflow
- ▶ made difficult by ASLR and non-executable flags

Notes

- ▶ stack buffer overflow
 - ▶ overwrite return address and point to address on stack or environment variable
 - ▶ overwrite local pointer and point to address on stack or environment variable
- ▶ heap buffer overflow
 - ▶ overwrites metadata pointers for heap allocated data

Notes

- ▶ bugs
- ▶ vulnerabilities
- ▶ exploit
- ▶ shellcode
- ▶ shellcode construction
- ▶ shellcode triggering
- ▶ shellcode placing
- ▶ syscall
- ▶ null
- ▶ stack buffer overflow
- ▶ heap buffer overflow
- ▶ pwntools

Notes

- ▶ <http://www.blackhatlibrary.net/Category:Shellcode>
- ▶ <http://www.shell-storm.org/shellcode/>
- ▶ <http://www.metasploit.com/>
- ▶ <https://github.com/Gallopsled/pwntools>
- ▶ <https://docs.pwntools.com/en/stable/>

Notes

- ▶ The Ethical Hacker's Handbook, 3rd Edition
 - ▶ Chapter 13 & 14
- ▶ A Guide to Kernel Exploitation
 - ▶ Chapter 1: From User-Land to Kernel-Land Attacks
- ▶ The Art of Exploitation, 2nd Edition
 - ▶ Chapter 0x500. Shellcode
- ▶ Hacking Exposed. Malware and Rootkits
 - ▶ Part II: Rootkits

Notes

Notes
