



Lecture 7 Strings. Information Leaks

Computer and Network Security
November 11, 2019
Computer Science and Engineering Department

Notes



Stack Frame

- ▶ created for each function call
- ▶ caller stores function arguments in registers or on stack
- ▶ issues `call` → saves instruction pointer and jumps to function code
- ▶ callee saves frame pointer, points frame pointer to current stack top and decrements stack pointer (increases the stack)
- ▶ the other way around for returning from a function call

Notes



Stack Pointer

- ▶ stack top
- ▶ stack pointer decreases → stack grows
- ▶ stack pointer increases → stack shrinks
- ▶ `esp` on x86
- ▶ `rsp` on x86_64
- ▶ `push` and `pop` instructions

Notes



Instruction Pointer

- ▶ instruction to run
- ▶ value at a given time is the address of the next instruction (next to the one being currently run)
- ▶ affected by `jmp` & friends, `call` and `ret`
- ▶ needs to point to an executable memory area
- ▶ may point to an injected code to trigger an exploit

Notes

- ▶ contiguous memory area; array of bytes
- ▶ possesses: base address, length, type
- ▶ operations: allocate, free, index, get, set, copy to/from
- ▶ exploitable through: bounds overflow (buffer overflow) and wrong index (index out of bounds)
- ▶ exploits often make use of string buffers

Notes

- ▶ set of machine code instructions running as an exploit
- ▶ injected by the attacker in the stack, heap or another area
- ▶ the area needs to be executable
- ▶ instruction pointer is set at the beginning of the shellcode
- ▶ usually it runs an `execve("/bin/bash", "/bin/bash")` call

Notes

- ▶ static & dynamic analysis
- ▶ ASCII armored address space
- ▶ stack guard, canary value
- ▶ DEP: Data Execution Prevention
- ▶ ASLR: Address Space Layout Randomization

Notes

- ▶ memory address
- ▶ array
- ▶ array of characters
- ▶ ends with null character (`'\0'`)
- ▶ data exchange between program and user/environment
- ▶ difference between code and data at "primary level" – non-existent

Notes

- ▶ a singular element of a string
- ▶ not inherently signed or unsigned
- ▶ character data – used for strings
- ▶ representation (number of bits/bytes) may depend on hardware architecture and compiler

Notes

- ▶ byte character types: char, signed char, unsigned char
- ▶ char may be defined as either signed char or unsigned char
- ▶ char is distinct
- ▶ char is the type of each element of a literal
- ▶ char is used for character data

Notes

- ▶ what kind of data type is EOF?
- ▶ what kind of data type is 'a' or '\0'?
- ▶ what happens when you compare chars with int?
- ▶ why does fgetc return an int? why does isalpha() receive an int as argument?
- ▶ always cast char to unsigned char for string comparisons

Notes

- ▶ naming from Robert Seacord (Secure Coding Initiative at CERT)
- ▶ use *null character* or NUL byte ('\0') for ending strings
- ▶ length is number of characters, excluding *null character*
- ▶ string has to fit into a memory/buffer/array, otherwise it exceeds bounds

Notes

- ▶ `char` is used for strings
- ▶ only `=`, `==`, `!=` should be used for `char`
- ▶ comparisons must be handled by `signed char` or `unsigned char`

Notes

- ▶ allocation: static, dynamic
- ▶ initialization
- ▶ copying
- ▶ concatenating
- ▶ duplicating
- ▶ truncating
- ▶ browsing
- ▶ find length

Notes

- ▶ you always need to know string length
- ▶ a proper string needs to be null-terminated
- ▶ never go past a string
- ▶ buffer overflows and other kinds of attacks are due to exceeding string bounds

Notes

- ▶ a proper string ends in the `'\0'` character
- ▶ if missing null termination, string operations will go crazy
- ▶ any string operation ends at null termination

Notes

- ▶ functions such as `strncpy` truncate the string
- ▶ string truncation may cause exploits – truncate the string at the right time and append something else
- ▶ if truncation occurs, the programmer must be aware of it and treat it accordingly
- ▶ string size must always be known

Notes

- ▶ due to bad computation, a value may be increased or decreased with a unit
- ▶ that may be the string length or placement of the null terminator

Notes

- ▶ some characters may be invalid for current processing
- ▶ see SQL injection attacks
- ▶ string should be validated
- ▶ white listing or black listing
- ▶ null terminators inside the string

Notes

- ▶ make sure you don't break the initial string
- ▶ avoid `strtok` and `strsep`
- ▶ should be done by a Bison/Flex or a custom parser that is able to fully browse the whole string
- ▶ while tokenizing have in mind the other issues with strings

Notes

- ▶ needs to always be known
- ▶ any string operation functions are there to make it easy for the programmer, not to assume string length
- ▶ most string management functions may be replaced by memcpy()

Notes

- ▶ aim for an exploit
- ▶ run arbitrary code
- ▶ pass a condition
- ▶ execute shellcode

Notes

- ▶ stack
- ▶ stack frame
- ▶ buffer overflow
- ▶ return address
- ▶ shellcode

Notes

- ▶ go past string boundary
- ▶ when using gets (deprecated in C99, removed in C1X)
- ▶ when copying strings
- ▶ overwrite
 - ▶ variable value
 - ▶ function pointer data
 - ▶ return address

Notes

- ▶ write variable or function pointer through buffer overflow
- ▶ code injection, arbitrary code run, run code on stack/heap, shell code
- ▶ return-to-libc (arc injection) aim for `system()` or `exec()`

Notes

- ▶ input must not be trusted
- ▶ always check string content and string size
- ▶ be on the lookout for
 - ▶ invalid characters
 - ▶ strings that are too large
 - ▶ string truncation
- ▶ input is
 - ▶ command line arguments
 - ▶ environment variables
 - ▶ standard input
 - ▶ files, sockets and pipes

Notes

- ▶ caller allocates, caller frees – `strcpy`
- ▶ callee allocates, caller frees – `strdup`
- ▶ callee allocates, callee frees – init and destroy functions, constructors and destructor methods

Notes

- ▶ make sure you use the memory management model for strings
- ▶ use the same functions in the same way
- ▶ check using the same approaches
- ▶ if required, define custom string management functions and use those

Notes

- ▶ `strncpy` (ANSI), `strncpy` (BSD), `strncpy_s` (Windows)
- ▶ these functions are not bullet proof
- ▶ `strncpy` solves out of bounds problems
- ▶ `strncpy` is better than `strncpy`: solves missing `Null` termination
- ▶ string truncation is still a problem
- ▶ a programmer still needs to know string size
- ▶ these functions don't make a good programmer out of a bad programmer

Notes

- ▶ needs to always be known (yup, it's the third time we say this)
- ▶ know size of the **whole** string; beware of
 - ▶ `'\0'` characters in string
 - ▶ string truncation
- ▶ beware of `sizeof()` vs. `strlen()`
 - ▶ `sizeof(a) == strlen(a)`, if `a` is an array
 - ▶ `sizeof(a) != strlen(a)`, if `p` is a pointer

Notes

- ▶ We use Python for input generation since first lab
- ▶ `encode()`/`decode()` handles hex representation of characters
- ▶ lambda functions on string characters using `join()`
- ▶ list slicing using `[x:y]`
- ▶ list indices, also negatives

Notes

- ▶ `p32()` and `p64()` format addresses like its original representation in memory (endianness and sign)
- ▶ `unpack` function translates back to unpacked number depending on the data size, endianness and sign
- ▶ alternative: `pack` and `unpack` functions from `struct` module

Notes

- ▶ string formats are used to know how to show data and its size
- ▶ if the format can be manipulated by program input, private data can be read

Notes

- ▶ puts reads parameter data from stack until terminating null byte
- ▶ if the parameter string is not properly placed in memory, puts will read bytes and leak important information
- ▶ buffers are placed under old ebp and return address in process memory layout
- ▶ usually this data can be leaked using puts

Notes

- ▶ GOT stores library address
- ▶ GOT address is known for non-PIE executables
- ▶ usual to leak GOT puts address using puts

Notes

- ▶ printf called without format parameter can let us place our own format
- ▶ printf(buf); considering buf is read from input
- ▶ printf reads parameters from stack, by format

Notes

- ▶ printf format argument %x - prints a number in hex format
- ▶ printf format argument %n - writes the number of bytes written. The number is placed at the address given as parameter
- ▶ Enough to read and write memory if the attacker has access to format parameter

Notes

- ▶ STR00-C to STR10-C on "07. Characters and Strings" in CERT C Secure Coding Standard

Notes

- ▶ STR30-C to STR38-C on "07. Characters and Strings" in CERT C Secure Coding Standard

Notes

- ▶ string
- ▶ character
- ▶ char, signed char, unsigned char
- ▶ NTBS
- ▶ null character
- ▶ character operators
- ▶ string operations
- ▶ bounds
- ▶ overflow
- ▶ truncation
- ▶ sanitization
- ▶ gets
- ▶ exploit
- ▶ input validation
- ▶ memory model

Notes

- ▶ CERT C Secure Coding Standard – 07. Characters and Strings (STR) – <https://www.securecoding.cert.org/confluence/pages/viewpage.action?pageId=271>
- ▶ Secure Coding in C and C++ Class
 - ▶ Module 1. Strings
- ▶ Secure Coding in C and C++
 - ▶ Chapter 2. Strings

Notes

Notes

Notes

Notes
